

Technical data sheet HU142

Specification HUB 1 high, armchair high, four-legged wooden base

Dimensions in mm	Backrest:	H:	435
		Seat:	H: 365 W: 515 D: 510
	Total:	H:	815
		W (ArmR):	830
	Packaging data	Weight:	kg
		Volume:	m³



Basic equipment

Benefit

Inner shell	Seat shell upholstered inside.	Very comfortable to sit on.
Outer shell	Seat shell covered with Zaha (techn. fabric) on outside, available in black or white.	
Backrest	Backrest height: 435 mm.	Also serves as an armrest.
Upholstery	Seat upholstered, 74 mm foam, free from CFCs and organochlorides (unmixed foam).	Extremely comfortable to sit on.
Frame	Four-legged, oak.	Firm contact with the floor and attractive look.
Glides	Hard plastic glides for soft floors.	Excellent stability.
Cover materials	Various fabric and leather qualities in various colours.	Individual design.
Materials used	All materials are unmixed and recyclable.	Environmentally friendly.
Certification	Quality management system DIN EN ISO 9001:2015, Regulation (EC) no. 1221/2009 (EMAS), Environmental Management System DIN EN ISO 14001:2015, Health and Safety Management System ISO 45001:2018, EcoVadis Gold.	High-quality product.
Standards	GS-symbol for tested safety. Tested for absence of harmful substances.	High level of safety.

Technical data sheet HU142

Specification HUB 1 high, armchair high, four-legged wooden base

Dimensions in mm	Backrest:	H:	435	
		Seat:	H:	365
			W:	515
	Total:		D:	510
		H:	815	
		W (ArmR):	830	
Packaging data	Weight:	kg		
	Volume:	m³		



Warranty and returns 10 year warranty according to our current warranty conditions.

Quality guaranteed to last for entire product life.

Disassembly instructions are available upon request for any interstuhl product

Technical data sheet HU142

Specification HUB 1 high, armchair high, four-legged wooden base

Dimensions in mm	Backrest:	H:	435	
		Seat:	H: 365	
	Total:	W:	515	
		D:	510	
	Packaging data	Weight:	H:	815
			Volume:	kg
		W (ArmR):	830	
		D:	670	



Options

Benefit

Glides	Soft felt glides for hard floors.	Optimum stability, minimal impact on the floor.
--------	-----------------------------------	---

Cover materials	Flame-resistant materials available on request.	Fire resistance.
-----------------	---	------------------

Disassembly instructions are available upon request for any interstuhl product