moooi

Bell Lamp

MARCEL WANDERS STUDIO



'Ting!" is the thing, as there is no gathering without loved ones to gather with. The Bell Lamp represents a very early and essential form of communication, generating a welcoming ring that brings people together for festivities and congregations. With a bottle of champaign and a pile of fruits, the table is decked.

Detailing



Colours

Gold - Smoke

Transparent - Gold

White - Gold

White - Smoke

Transparent - White

White - White

Bell Lamp / Large

Dimensions

35cm | 13.8"

0

14cm | 5.5"

Product

width 35cm | 13.8" неіднт 36cm | 14.2" дертн 35cm | 13.8"

WEIGHT NETTO 4.5kg | 9.92lbs

Packaging

WIDTH $42 \text{cm} \mid 16.5$ " **HEIGHT** $53 \text{cm} \mid 20.9$ " **CUBAGE** $0.1 \text{m}^3 \mid 3.54 \text{ft}^3$ **LENGTH** $45 \text{cm} \mid 17.7$ " **WEIGHT** $6 \text{kg} \mid 13.23 \text{lbs}$

Technical CE

MATERIAL

Mouth blown glass, ceramic bow.

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Bell

FREQUENCY

50

LAMPHOLDER

G9

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

 ϵ

Technical cULus

MATERIAL

Mouth blown glass, ceramic bow.

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

|

INPUT VOLTAGE

240

MAX POWER CONSUMPTION

60W

CABLE COLOUR

Transparent with tinned cores

CANOPY

Bell Lamp Gold Canopy Gold

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Bell

FREQUENCY

60

LAMPHOLDER

G9

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.



INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

110

MAX POWER CONSUMPTION

65W

CABLE COLOUR

Transparent with tinned cores

CANOPY

Bell Lamp Gold Canopy Gold

Bell Lamp / Small

Dimensions

22cm | 8.6"



14cm | 5.5"





Product

WIDTH 22cm | 8.7"
HEIGHT 23cm | 9.1"
DEPTH 22cm | 8.7"
DIAMETER 22cm | 8.7"
WEIGHT NETTO 2kg | 4.41|bs

Packaging

WIDTH 30cm | 11.8" **HEIGHT** 47cm | 18.5" **CUBAGE** 0.05m³ | 1.59ft³ **LENGTH** 32cm | 12.6" **WEIGHT** 4kg | 8.82lbs

Technical CE

MATERIAL

Mouth blown glass, ceramic bow.

ENERGY LABEL

A++ to E

NUMBER OF LIGHTSOURCES

1

INSTALLATION REQUIRED

Yes

SHAPE

Bell

INPUT VOLTAGE

240

MAX POWER CONSUMPTION

60W

CABLE COLOUR

Transparent with tinned cores

CANOPY

Bell Lamp Gold Canopy Gold

FREQUENCY

50

LAMPHOLDER

G9

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

 ϵ

Technical cULus

MATERIAL

Mouth blown glass, ceramic bow.

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Bell

FREQUENCY

60

LAMPHOLDER

G9

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

C**UL**US LISTED INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

110

MAX POWER CONSUMPTION

60W

CABLE COLOUR

Transparent with tinned cores

CANOPY

Bell Lamp Gold Canopy Gold

Dimming & Lighting Control

Mains dimmable with compatible light source

Compatible models: Large CE, Large cULus, Small CE, Small cULus