moooi

Lolita suspended

NIKA ZUPANC



"Who is afraid of pink? My imagination chases female archetypes intentionally. Frivolous, even naive objects are my favorite victims. And when, during such a process, I manage to be creative in an evidently reserved way, I then touch the purest meaning of my work and frivolity becomes timeless elegance."

Detailing



The Lolita conveys a mood of understated elegance with an unmistakable hint of playfulness.

Colours



London Rose

Pink

White

Lolita suspended

Dimensions

37cm | 14.6"



| | 13.7

Product

width 37cm | 14.6" неіднт 40cm | 15.7" рертн 37cm | 14.6"

WEIGHT NETTO 1.4kg | 3.09lbs

Packaging

width 46 cm | 18.1"

Height 58 cm | 22.8"

Cubage $0.12 \text{m}^3 | 4.33 \text{ft}^3$ Length 46 cm | 18.1"

Weight 3.3 kg | 7.28 lbs

Technical CCC

MATERIAL

ABS shade, polyurethane base

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE

Bell

FREQUENCY

50/60

LAMPHOLDER

E27

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

INPUT VOLTAGE 220-240

MAX POWER CONSUMPTION

20W

CABLE COLOUR

Transparent with tinned cores

CANOPY

Steel pebble in matching colour

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

(W)

Technical CE

MATERIAL

ABS shade, polyurethane base

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

SHAPE Bell

FREQUENCY

50/60

LAMPHOLDER

E27

CABLE LENGTH

400cm | 157.5"; 1000cm | 393.7"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE 220-240

MAX POWER CONSUMPTION

20W

CABLE COLOUR

Transparent with tinned cores

CANOPY

Steel pebble in matching colour

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

 ϵ

Technical cULus

MATERIAL

ABS shade, polyurethane base

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

Bell

SHAPE

FREQUENCY

50/60

LAMPHOLDER

E26

CABLE LENGTH

400cm | 157.5"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE 110-130

MAX POWER CONSUMPTION

25W

CABLE COLOUR

Black

CANOPY

Chrome Canopy

DIMMING & LIGHTING CONTROL

Mains dimmable with compatible light source

See last page for more information about the dimming possibilities.

CUL)US

Dimming & Lighting Control

Mains dimmable with compatible light source

Compatible models: Lolita suspended CE, Lolita suspended cULus