

Lolita Table Lamp

NIKA ZUPANC




Who is afraid of pink? My imagination chases female archetypes intentionally. Frivolous, even naive objects are my favorite victims. And when, during such a process, I manage to be creative in an evidently reserved way, I then touch the purest meaning of my work and frivolity becomes timeless elegance.

Detailing



The Lolita conveys a mood of understated elegance with an unmistakable hint of playfulness. Playful as it is, the shade can be tilted.

Colours



London Rose

Pink

White

Lolita Table Lamp

Dimensions

37cm | 14.6"



78cm | 30.7"

Product

WIDTH 37cm | 14.6"

HEIGHT 78cm | 30.7"

DEPTH 37cm | 14.6"

DIAMETER 37cm | 14.6"

WEIGHT NETTO 2.5kg | 5.51lbs

Packaging

WIDTH 46cm | 18.1"

HEIGHT 93cm | 36.6"

CUBAGE 0.2m³ | 6.95ft³

LENGTH 46cm | 18.1"

WEIGHT 4.7kg | 10.36lbs

Technical CCC

MATERIAL

ABS shade, polyurethane base.

ENERGY LABEL

A++ to E

NUMBER OF LIGHTSOURCES

1

FREQUENCY

50/60

LAMPHOLDER

E14

PLUG TYPE

Europlug (Type-C)

SWITCH

In line on/off switch



LIGHTSOURCE TYPE

Incandescent

INPUT VOLTAGE

220-240

MAX POWER CONSUMPTION

25W

RECOMMENDED LIGHTSOURCE

CABLE COLOUR

Transparent with tinned cores

CABLE LENGTH

150cm | 59.1"

LIGHT DIRECTION

All directions

Technical CE

MATERIAL

ABS shade, polyurethane base.

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

NUMBER OF LIGHTSOURCES

1

FREQUENCY

50/60

LAMPHOLDER

E14

PLUG TYPE

Europlug (Type-C)

SWITCH

In line on/off switch

**INPUT VOLTAGE**

220-240

MAX POWER CONSUMPTION

25W

RECOMMENDED LIGHTSOURCE**CABLE COLOUR**

Transparent with tinned cores

CABLE LENGTH

150cm | 59.1"

LIGHT DIRECTION

All directions

*Technical cULus***MATERIAL**

ABS shade, polyurethane base.

ENERGY LABEL

A++ to E

NUMBER OF LIGHTSOURCES

1

FREQUENCY

50/60

LAMPHOLDER

E12

PLUG TYPE

US plug (Type A)

SWITCH

In line on/off switch

**LIGHTSOURCE TYPE**

Incandescent

INPUT VOLTAGE

220-240

MAX POWER CONSUMPTION

25W

CABLE COLOUR

Black

CABLE LENGTH

150cm | 59.1"

LIGHT DIRECTION

All directions